

be water, be Genebre

МАНОМЕТР

Артикул: 8010

Технические характеристики

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

ARTICULO: 8010 **Manómetro baja presión (ventómetro)** **Low pressure Gauge**

Características

Los manómetros de cápsula están diseñados según norma EN 837-3 para satisfacer las más altas exigencias en aplicaciones en que existe la necesidad de medir bajas presiones.

El elemento sensible es una cápsula, totalmente construida en acero inoxidable AISI 316L, constituida por dos membranas circulares, de ondulaciones concéntricas, unidas por soldadura.

Están realizados para cubrir la demanda en la industria petroquímica, química, alimentaria, Farmacéutica, etc...

Un cierre mediante aro tipo bayoneta estampado, y un buen diseño de junta, lo convierten en un instrumento a prueba de polvo, salpicaduras y vapores, con un grado de estanqueidad IP 65.

Aplicaciones

Especialmente indicado para medir muy bajas presiones, principalmente de gas, comprendidas entre 25 y 600 mbar.

Ideal como indicadores de flujo de aire, nivel de líquido y corriente de aire.

Features

Capsule pressure gauges are designed according to Std. EN 837-3 to meet the highest demands in applications where there is need to measure low pressures.

Sensing element is a capsule, completely built in stainless steel AISI 316L, made of two circular membranes, of concentric undulations, welded together.


They are made to meet demand in the petrochemical, chemical, food, Pharmaceuticals industries, etc ...

A stamping bayonet ring sealing, and a good joint design, make it an instrument resistant to dust, particles and vapours, with a degree of sealing IP 65.

Applications

Especially suited for measuring very low gas pressures, mainly between 25 and 600 mbar. Ideal as air flow indicators, liquid level and air flow.





Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: grb@nt-rt.ru || www.genebre.nt-rt.ru